







# SANUVOX



## COMMERCIAL PARTS LIST



Visual	Model	Description
	MB500-GX	Ceiling T-BAR UV air purifier fits a 2' x 2' ceiling tile. Applications up to 500 sq.ft. 120/230 volt
	<b>Replacements parts</b>	<b>Description</b>
	BST110/240GL	120/230 volt Ballast for MB500
	LMPRGXJ65	T6 Regular Intensity Dual Zone 6.5" (UVC/UVV) "J" Lamp for MB500-GX
	LMPRGJ65	T6 Regular Intensity Germicidal 6.5" (UVC) "J" Lamp for MB500-G
	MSCFTR5	Polypropylene Filter (inlet & outlet) for MB500
	MSCSWC10	Micro switch for MB500
	MSCCON1	Gaynor plug for UV Lamp
	<b>Replacements parts</b>	<b>Description</b>
	BST120/240G11	120 electronic ballast for C2000
	LMPRGXJ160	T6 Regular Intensity Dual Zone 16" (UVC/UVV) "J" Lamp for C2000-GX
	LMPRGJ160	T6 Regular Intensity Germicidal 16" (UVC) "J" Lamp for C2000-G
	MSCSWC6	Vacuum switch for C2000
	MSCFUS3	Fuse holder for C2000
	MSCSWC1	Push button test switch for C2000
	MSCFUS2	Fuse 3AG Glass Body F/A 2.5 Amp
	MSCLHT1	"Purifier ON" neon lamp & lamp assembly for C2000 RED BUTTON
	MSCSWC4	"Power ON" neon lamp & lamp assembly for C2000 AMBER BUTTON
MSCCON1	Gaynor plug for UV lamp	

Visual	Model	Description
	QUATTRO-GX	In-duct UV air purifier consist in of 3 - 18" T6 high intensity Germicidal UVC lamps and 1 - 18" T6 high intensity dual zone UV lamp mounted on 4 aluminum parabolic reflectors 120/277 volt. Residential and light commercial applications
	QUATTRO-G	In-duct UV air purifier consist in of 4 - 18" T6 high intensity UV Germicidal lamps mounted on 4 aluminum parabolic reflectors 120/277 volt. Residential and light commercial applications
	QUATTRO-GX4	In-duct UV air purifier consist in of 4 - 18" T6 high intensity UVC/UVV Germicidal and Oxidation lamps mounted on 4 aluminum parabolic reflectors 120/277 volt. Residential and light commercial applications
	Replacements parts	Description
	BST120/240GL20	WHITE CASING BALLAST 120/230 volt with LED's for QUATTRO - PRODUCTION BEFORE AUGUST 2011
	BST120/277GLR	Multi voltage ballast 120 to 277 automatic sensing for QUATTRO - production after August 2011
	LMPHGS180	T6 high intensity germicidal UVC 18" straight UV lamp for QUATTRO (3) per QUATTRO-GX model - (4) per QUATTRO-G model"
	LMPHGXS180	T6 dual zone 18" high intensity straight UV lamp for QUATTRO-GX (1) per unit QUATTRO-GX4 (4) per unit
	MSC7	Bio-Film Aluminum Foil for Quattro Installation 2ft x 6 ft
	MSCBRK3	Circuit breaker 5 Amp
MSCSWC7	Vacuum switch for QUATTRO	
MSCSWC4	On-Off Switch for QUATTRO	
MSCCON1	Gaynor plug for UV lamp	
Visual	Model	Description
	S300FX-GX	HEPA/UV air purifier residential and commercial (smoking rooms & hospital application) 120 volt
	S300FX-GX4	UV air purifier for LOCKER ROOMS- adjustable up to 4 inches UVV + inlet/outlet louvers
	S300FX-GX MED2	HEPA/UV air purifier for medical use on wheels PORTABLE SMALLER RACK
	Replacements parts	Description
	BST120/240GL20	120/230 volt Fulham Ballast with LED's , S300FX - production before January 2014
	BST120/277GLR	Multi voltage Robertson ballast 120 to 277 automatic sensing for S300 series - Production January 2015
	LMPHGJ105	T6 High Intensity Dual Zone 10.5" (UVC/UVV) "J" Lamp for S300FX-GX
	LMPHGJ105	T6 High Intensity Germicidal 10.5" (UVC) "J" Lamp for S300FX-G
	LMPHGJ105-1	T6 High Intensity Dual Zone High 10.5" (UVC/UVV) "J" Lamp up to 4 inches
	SUBKITCROS300	Clean room option including (1) additional lamp LMPHGJ105 and (1) additional ballast BST120/277GLR
	SUBKITVOCS300	VOC kit includes (1) VOC sensor (1) BST120/277GLR ballast (1) LMPHXJ105 UVV "J" lamp. Applications Smoking room, Nail Salon, etc. CAN NOT BE FIELD INSTALLED
	SUBKITOZDS300	VOC kit includes (1) Ozone sensor (1) BST120/277GLR ballast (1) LMPHXJ105 UVV "J" lamp. Applications garbage and sewer rooms, etc. CAN NOT BE FIELD INSTALLED
	MSCFTR11	HEPA filter for S300FX
	MSCFTR10	Pre-filter for S300FX
	MSCMTR11	Motor for S300FX 120 volt * Must be ordered with MSCCAP4 Capacitor
	MSCMTR7	Motor for S300FX 230 volt * Must be ordered with MSCCAP3 Capacitor
	MSCCAP1	Capacitor for S300FX-GX 120 volt motor
	MSCCAP3	Capacitor for S300FX-GX 230 volt motor
	MSCCOL1	Collar inlet/outlet 8" round for S300FX Sold INDIVIDUALLY
MSCLOU1	Louver inlet/outlet for S300FX Sold INDIVIDUALLY	
MSCCON1	Gaynor plug for UV lamp	

Visual	Model	Description																																				
	S1000FX-GX	Stand alone and/or Ducted combination filter & UV air purifier 20"x20"x40" Aluminum casing 1,000cfm with filters. See replacement parts for Clean Room and Smoking Room and other options																																				
	<table border="1"> <thead> <tr> <th>Replacements parts</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>BST120W5</td> <td>Electornic ballast 120 volt for S1000FX</td> </tr> <tr> <td>BST230W5</td> <td>Electronic ballast 230 volt for S1000FX</td> </tr> <tr> <td>LMPRGXJ160</td> <td>T6 Regular Intensity Dual Zone 16" (UVC/UVV) "J" Lamp for S1000FX-GX</td> </tr> <tr> <td>LMPRGJ160</td> <td>T6 Regular Intensity Germicidal 16" (UVC) "J"Lamp for S1000FX-G</td> </tr> <tr> <td>LMPRSPJ160</td> <td>T6 Dual Zone regular int. 16. UV "J" lamp up to 4 inches OXYDATION - SPECIAL JOBS for S1000FX-GX</td> </tr> <tr> <td>MSCSWC12</td> <td>Speed control for S1000FX 120 volt</td> </tr> <tr> <td>SUBKITVOCS1000</td> <td>VOC kit includes (1) VOC sensor (1) BST120W5 ballast or BST230W5 (PLEASE SPECIFY) (1) LMPRXJ160 UVV "J" lamp. Applications Smoking room, Nais Salon, etc.</td> </tr> <tr> <td>SUBKITCROS1000</td> <td>Clean Room option includes (1) HEPA 99,97% filter (1) BST120W5 ballast or BST230W5 (PLEASE SPECIFY) (1) LMPHGJ160 UVC "J" lamp. Applications Hopital, Doctors office, Pharmaceutical, Clean Room, Laboratories.</td> </tr> <tr> <td>SUBKITOZDS1000</td> <td>OZD kit includes (1) Ozone detector (1) BST120W5 ballast or BST230W5 (PLEASE SPECIFY) (1) LMPHXJ160 UVV "J" lamp. Applications garbage and sewer rooms, etc.</td> </tr> <tr> <td>MSCFTR12</td> <td>20"x20"x4" HEPA 99,97% filter</td> </tr> <tr> <td>MSCFTR1</td> <td>20"x20"x4" 95% filter</td> </tr> <tr> <td>MSCFTR2</td> <td>20"X20"x1" filter</td> </tr> <tr> <td>MSCMTR9</td> <td>Motor assembly 120 volt for S1000FX. *must be ordered with MSCCAP4 Capacitor</td> </tr> <tr> <td>MSCCAP4</td> <td>Capacitor for S1000FX motor 120 volt</td> </tr> <tr> <td>MSCMTR10</td> <td>Motor assembly 230 volt for S1000FX *must be ordered with MSCCAP5 Capacitor</td> </tr> <tr> <td>MSCCAP5</td> <td>Capacitor for S1000FX motor 230 volt</td> </tr> <tr> <td>MSCCON1</td> <td>Gaynor plug for UV lamp</td> </tr> </tbody> </table>		Replacements parts	Description	BST120W5	Electornic ballast 120 volt for S1000FX	BST230W5	Electronic ballast 230 volt for S1000FX	LMPRGXJ160	T6 Regular Intensity Dual Zone 16" (UVC/UVV) "J" Lamp for S1000FX-GX	LMPRGJ160	T6 Regular Intensity Germicidal 16" (UVC) "J"Lamp for S1000FX-G	LMPRSPJ160	T6 Dual Zone regular int. 16. UV "J" lamp up to 4 inches OXYDATION - SPECIAL JOBS for S1000FX-GX	MSCSWC12	Speed control for S1000FX 120 volt	SUBKITVOCS1000	VOC kit includes (1) VOC sensor (1) BST120W5 ballast or BST230W5 (PLEASE SPECIFY) (1) LMPRXJ160 UVV "J" lamp. Applications Smoking room, Nais Salon, etc.	SUBKITCROS1000	Clean Room option includes (1) HEPA 99,97% filter (1) BST120W5 ballast or BST230W5 (PLEASE SPECIFY) (1) LMPHGJ160 UVC "J" lamp. Applications Hopital, Doctors office, Pharmaceutical, Clean Room, Laboratories.	SUBKITOZDS1000	OZD kit includes (1) Ozone detector (1) BST120W5 ballast or BST230W5 (PLEASE SPECIFY) (1) LMPHXJ160 UVV "J" lamp. Applications garbage and sewer rooms, etc.	MSCFTR12	20"x20"x4" HEPA 99,97% filter	MSCFTR1	20"x20"x4" 95% filter	MSCFTR2	20"X20"x1" filter	MSCMTR9	Motor assembly 120 volt for S1000FX. *must be ordered with MSCCAP4 Capacitor	MSCCAP4	Capacitor for S1000FX motor 120 volt	MSCMTR10	Motor assembly 230 volt for S1000FX *must be ordered with MSCCAP5 Capacitor	MSCCAP5	Capacitor for S1000FX motor 230 volt	MSCCON1	Gaynor plug for UV lamp
	Replacements parts	Description																																				
	BST120W5	Electornic ballast 120 volt for S1000FX																																				
	BST230W5	Electronic ballast 230 volt for S1000FX																																				
	LMPRGXJ160	T6 Regular Intensity Dual Zone 16" (UVC/UVV) "J" Lamp for S1000FX-GX																																				
	LMPRGJ160	T6 Regular Intensity Germicidal 16" (UVC) "J"Lamp for S1000FX-G																																				
	LMPRSPJ160	T6 Dual Zone regular int. 16. UV "J" lamp up to 4 inches OXYDATION - SPECIAL JOBS for S1000FX-GX																																				
	MSCSWC12	Speed control for S1000FX 120 volt																																				
	SUBKITVOCS1000	VOC kit includes (1) VOC sensor (1) BST120W5 ballast or BST230W5 (PLEASE SPECIFY) (1) LMPRXJ160 UVV "J" lamp. Applications Smoking room, Nais Salon, etc.																																				
	SUBKITCROS1000	Clean Room option includes (1) HEPA 99,97% filter (1) BST120W5 ballast or BST230W5 (PLEASE SPECIFY) (1) LMPHGJ160 UVC "J" lamp. Applications Hopital, Doctors office, Pharmaceutical, Clean Room, Laboratories.																																				
	SUBKITOZDS1000	OZD kit includes (1) Ozone detector (1) BST120W5 ballast or BST230W5 (PLEASE SPECIFY) (1) LMPHXJ160 UVV "J" lamp. Applications garbage and sewer rooms, etc.																																				
	MSCFTR12	20"x20"x4" HEPA 99,97% filter																																				
	MSCFTR1	20"x20"x4" 95% filter																																				
	MSCFTR2	20"X20"x1" filter																																				
	MSCMTR9	Motor assembly 120 volt for S1000FX. *must be ordered with MSCCAP4 Capacitor																																				
	MSCCAP4	Capacitor for S1000FX motor 120 volt																																				
	MSCMTR10	Motor assembly 230 volt for S1000FX *must be ordered with MSCCAP5 Capacitor																																				
	MSCCAP5	Capacitor for S1000FX motor 230 volt																																				
	MSCCON1	Gaynor plug for UV lamp																																				

Visual	Model	Description
	BIO30G or BIO30GX	In-duct UV air purifier consist in of 5 - 30" high intensity UV lamps mounted on 5 aluminum parabolic reflectors. Ballast box is mounted outside the duct and includes LED display, lamp out buzzer, dry contact for remote control monitoring. Available in 120 volt, 220 volt or 277 volt.
	BIO40G or BIO40GX	In-duct UV air purifier consist in of 5 - 40" high intensity UV lamps mounted on 5 aluminum parabolic reflectors. Ballast box is mounted outside the duct and includes LED display, lamp out buzzer, dry contact for remote control monitoring. Available in 120 volt, 220 volt or 277 volt.
	BIO50G or BIO50GX	In-duct UV air purifier consist in of 5 - 50" high intensity UV lamps mounted on 5 aluminum parabolic reflectors. Ballast box is mounted outside the duct and includes LED display, lamp out buzzer, dry contact for remote control monitoring. Available in 120 volt, 220 volt or 277 volt.
	BIO60G or BIO60GX	In-duct UV air purifier consist in of 5 - 60" high intensity UV lamps mounted on 5 aluminum parabolic reflectors. Ballast box is mounted outside the duct and includes LED display, lamp out buzzer, dry contact for remote control monitoring. Available in 120 volt, 220 volt or 277 volt.
	<b>Replacements parts</b>	<b>Description</b>
	BST120W5	120 volt ballast for BIO30
	BST230W5	230 volt ballast for BIO30
	BST277W5	277 volt ballast for BIO30
	BST120W7	120 volt ballast for BIO40, BIO50, BIO60
	BST230W7	230 volt ballast for BIO40, BIO50, BIO60
	BST277W7	277 volt ballast for BIO40, BIO50, BIO60
	LMPHGS300	T6 High Intensity Germicidal (UVC) 30" Straight UV Lamp for BIO30-G (4 out of 5 for BIO30-GX)
	LMPHGS400	T6 High Intensity Germicidal (UVC) 40" Straight UV Lamp for BIO40-G (4 out of 5 for BIO40-GX)
	LMPHGS500	T6 High Intensity Germicidal (UVC) 50" Straight UV Lamp for BIO50-G (4 out of 5 for BIO50-GX)
	LMPHGS600	T6 High Intensity Germicidal (UVC) 60" Straight UV Lamp for BIO60-G (4 out of 5 for BIO60-GX)
	LMPHGXS300	T6 High Intensity Dual Zone (26"-UVC / 4"-UVV) 30" Straight UV Lamp for BIO30-GX 1 lamp out of 5
	LMPHGXS400	T6 High Intensity Dual Zone (36"-UVC / 4"-UVV) 40" Straight UV Lamp for BIO40-GX 1 lamp out of 5
	LMPHGXS500	T6 High Intensity Dual Zone (46"-UVC / 4"-UVV) 50" Straight UV Lamp for BIO50-GX 1 lamp out of 5
	LMPHGXS600	T6 High Intensity Dual Zone (56"-UVC / 4"-UVV) 60" Straight UV Lamp for BIO60-GX 1 lamp out of 5
	MSCECL11	Biowall circuit board with dry contacts and hour meter
MSC6	Aluminum roll for lining duct roll of 150 feet	
SUBFLGML	Flange for all BIO aluminum support tube. Priced per pair	
MSCSWC14	Interlock switch for access door max 10 amp.	
TUBAA66	Aluminum mounting tube 66 inches in length	
MSCCON1	Gaynor plug for UV lamp	

Visual	Model	Description	
	IL12-G	Inside Air Handler Lamp length. 12" long 120 volt (IL12/220-G, 230 volt) available in 277 volt	
	IL18-G	Inside Air Handler Lamp length. 18" long 120 volt (IL18/220-G, 230 volt) available in 277 volt	
	IL24-G	Inside Air Handler Lamp length. 24" long 120 volt (IL24/220-G: 230 volt) available in 277 volt	
	IL30-G	Inside Air Handler Lamp length. 30" long 120 volt (IL30/220-G: 230 volt) available in 277 volt	
	IL40-G	Inside Air Handler Lamp length. 40" long 120 volt (IL40/220-G: 230 volt) available in 277 volt	
	IL50-G	Inside Air Handler Lamp length. 50" long 120 volt (IL50/220-G: 230 volt) available in 277 volt	
	IL60-G	Inside Air Handler Lamp length. 60" long 120 volt (IL60/220-G: 230 volt) available in 277 volt	
	Replacements parts	Description	
	BST120W5	120 volt ballast for IL18, IL24, IL30	
	BST230W5	230 volt ballast for IL18, IL24, IL30	
	BST277W5	277 volt ballast for IL18, IL24, IL30	
	BST120W7	120 volt ballast for IL40, IL50, IL60	
	BST230W7	230 volt ballast for IL40, IL50, IL60	
	BST277W7	277 volt ballast for IL40, IL50, IL60	
	SUBFLGML	Flange for all IL aluminum support tube. Priced per pair	
	TUBAA66	Aluminum mounting tube 66 inches in length	
	MSCELC17	Electronic module for IL, LED indicator lamp status	
	MSCSWC14	Interlock switch for access door maximum 10 amp.	
	LMPHGS120	T6 High Intensity Germicidal (UVC) 12" Straight UV Lamp for IL12	
	LMPHGS180	T6 High Intensity Germicidal (UVC) 18" Straight UV Lamp for IL18	
	LMPHGS240	T6 High Intensity Germicidal (UVC) 18" Straight UV Lamp for IL18	
	LMPHGS300	T6 High Intensity Germicidal (UVC) 30" Straight UV Lamp for IL30	
	LMPHGS400	T6 High Intensity Germicidal (UVC) 40" Straight UV Lamp for IL40	
	LMPHGS500	T6 High Intensity Germicidal (UVC) 50" Straight UV Lamp for IL50	
	LMPHGS600	T6 High Intensity Germicidal (UVC) 60" Straight UV Lamp for IL60	
	MSCCON1	Gaynor plug for UV lamp	
Visual	Model	Description	
	RT24/220-G	Rooftop Package Unit. 24" Lamp with NEMA 4X enclosure 230 volt Also available 120 volt, 277 volt	
	RT30/220-G	Rooftop Package Unit. 30" Lamp with NEMA 4X enclosure 230 volt Also available 120 volt, 277 volt	
	RT40/220-G	Rooftop Package Unit. 40" Lamp with NEMA 4X enclosure 230 volt Also available 120 volt, 277 volt	
		Replacements parts	Description
		BST120W5	120 volt ballast for RT24, RT30, RT24-NN, RT30-NN
		BST230W5	230 volt ballast for RT24, RT30, RT24-NN, RT30-NN
		BST230W7	230 Volt Electronic Ballast for RT40, RT40-NN
	BST120W7	120 volt ballast for RT40, RT40-NN	
	LMPHGS240	T6 High Intensity Germicidal (UVC) 24" Straight UV Lamp for RT24, RT24-NN	
	LMPHGS300	T6 High Intensity Germicidal (UVC) 30" Straight UV Lamp for RT30, RT30-NN	
	LMPHGS400	T6 High Intensity Germicidal (UVC) 40" Straight UV Lamp for RT40, RT40-NN	
	MSCCON1	Gaynor plug for UV lamp	

Visual	Model	Description
	MULTI18-GX	18" Multi-split UVC/UVV lamp in parabolic reflector w/ballast box 120 volt. (MULTI18/220:230 volt) includes
	MULTI24-GX	24" Multi-split UVC/UVV lamp in parabolic reflector w/ballast box 120 volt. (MULTI24/220:230 volt)
	MULTI30-GX	30" Multi-split UVC/UVV lamp in parabolic reflector w/ballast box 120 volt. (MULTI-30/220:230volt)
	MULTI40-GX	40" Multi-split UVC/UVV lamp in parabolic reflector w/ballast box 120 volt. (MULTI-40/220:230 volt)
	MULTI50-GX	50" Multi-split UVC/UVV lamp in parabolic reflector w/ballast box 120 volt. (MULTI50/220:230 volt)
	MULTI60-GX	60" Multi-split UVC/UVV lamp in parabolic reflector w/ballast box 120 volt. (MULTI60/220:230 volt)
	Replacements parts	Description
	BST120W5	120 volt ballast for MULTI18-GX,MULTI24-GX, MULTI30-GX
	BST230W5	230 volt ballast for MULTI18-GX,MULTI24-GX, MULTI30-GX
	BST277W5	277 volt ballast for MULTI18-GX,MULTI24-GX, MULTI30-GX
	BST120W7	120 volt ballast for MULTI40-GX,MULTI50-GX, MULTI60-GX
	BST230W7	230 volt ballast for MULTI40-GX,MULTI50-GX, MULTI60-GX
	BST277W7	277 volt ballast for MULTI40-GX,MULTI50-GX, MULTI60-GX
	SUBFLGML	Flange for all BIO aluminum support tube. Priced per pair
	MSCELC17	Electronic module for IL: LED indicator lamp status
	MSCSWC14	Interlock switch for access dorr maximum 10 amp.
	LMPMGXS180	T6 High Intensity Multi-split 18" Straight UV Lamp for Multi18-GX
	LMPMGXS240	T6 High Intensity Multi-split 24" Straight UV Lamp for Multi24-GX
	LMPMGXS300	T6 High Intensity Multi-split 30" Straight UV Lamp for Multi30-GX
	LMPMGXS400	T6 High Intensity Multi-split 40" Straight UV Lamp for Multi40-GX
LMPMGXS500	T6 High Intensity Multi-split 50" Straight UV Lamp for Multi50-GX	
LMPMGXS600	T6 High Intensity Multi-split 60" Straight UV Lamp for Multi60-GX	
MSSCON1	Gaynor plug for UV lamp	
Visual	Model	Description
	BD18-GX	COMBINATION AIR/OBJECT PURIFIER for BARD wall mount 230 volt. Single lamp unit
	BD30-GX	COMBINATION AIR/OBJECT PURIFIER for BARD wall mount . 230 volt. Dual lamp unit
	Replacements parts	Description
	BST220/240EL2	230 Volt Electronic Ballast for B30
	MSCSWC10	Micro Switch for BD30
	LMPHGS180	T6 High Intensity Germicidal (UVC) 18" Straight UV Lamp for BD18
	LMPHGS300	T6 High Intensity Germicidal (UVC) 30" Straight UV Lamp for BD30, (1 out of 2 lamp on the unit)
	LMPHGS300	T6 High Intensity Dual Zone (291/2"-UVC / 1/2"-UVV) 30" Straight UV Lamp for BD30 (1 out of two lamp on the unit)
MSSCON1	Gaynor plug for UV lamp	