

Fax : 1-888-582-6475

Phone: 1-888-726-8869

## RESIDENTIAL UV OBJECT PURIFIERS



<u>Model</u>	<u>Description</u>
SABER16/24-GM2	24v MAGNET - Straight 16"UVC lamp for residential - Magnet mounting bracket - includes 2 lamps
<u>Replacement parts</u>	
BST24G48ET	24 Volt ballast for SABER16/24GM & SABER16/24-GM2
LMPRGPT160T5	T5 Germicidal (UVC) 16" straight for SABER16/24-GM



<u>Model</u>	<u>Description</u>
SABERPW16/24-GM2	24v PRO Straight 16"UVC lamp for residential - REMOTE WIRELESS DISPLAY - includes 2 lamps
SABERPW16/24-GMX2	24v PRO - same as above but with UVV - odor removal lamps - includes 2 lamps
<u>Replacement parts</u>	
BST24G48ETR	24 Volt ballast for SABERPW16/24 - GM2
MSCTFR12024	Step-down transformer 120/24 volt for SABERGN16/24110-G & SABERPW16/24-GM2
LMPRGPT160T5	T5 Germicidal (UVC) 16" straight lamp for SABERGN16/24110-G & SABERPW16/24-GM2
LMPRGPX160T5	T5 Dual zone lamp (UVC/UVV) 16" straight lamp for SABERPW16/24-GXM2
WREMOTE	Remote screen module for SABERPW16/24-GM2

**\*Quantities of 12 minimum per order (individually packaged in Master carton of 12 units)**

### OLDER MODELS

<u>Replacement parts</u>	<u>Description</u>
BST24G48M	24 Volt ballast for SABER12/24-G & SABER16/24-G & SABER18/24-G for T6 lamps
LMPRGP120	T6 Germicidal UVC 12" straight lamp for SABER APR
LMPRGP180	T6 Germicidal UVC 18" straight lamp for SABER APR
LMPRGPT120	T6 Germicidal (UVC) 12" straight for SABER12/24-G
LMPRGPT150	T6 Germicidal (UVC) 16" straight for SABER16/24-G or SABERTUBE
LMPRGPT180	T6 Germicidal (UVC) 18" straight for SABER18/24-G
MSCCON1	WHITE Gaynor plug for UV lamp
-	-

## RESIDENTIAL IN-DUCT AIR PURIFIER



<u>Model</u>	<u>Description</u>
SR MAX	In-duct mounted for homes up to 2000 sq. ft. 120 /230 volt--with Cobalt catalyst
SR Plus	In-duct mounted for homes up to 2000 sq. ft. 120 /230 volt
<u>Replacement parts</u>	
BST110/240G18	120/230 volt Lightwave Ballast for SR+ (series produced before SEPT 2014)
BST120/240GL	120/240 volt Robertson ballast for SR+/SR MAX
LMPRGXJ65	T6 Dual Zone 6.5" UV "J" Lamp for SR+/SR MAX
LMPRGJ65	T6 Germicidal (UVC) 6.5" UV "J" Lamp for SR+/SR MAX
MSCELC20	Electronic control board for SR+
MSCTER1-W	Thermistor for SR+

Fax : 1-888-582-6475

Phone: 1-888-726-8869

## RESIDENTIAL IN-DUCT AIR PURIFIER



<u>Model</u>	<u>Description</u>
R MAX	In-duct mounted for homes up to 4000 sq. ft. <b>120 /230 volt --- with Cobalt catalyst</b>
R Plus	In-duct mounted for homes up to 4000 sq. ft. <b>120 /230 volt</b>
<u>Replacement parts</u>	<u>Description</u>
BST120/277GL	Multi voltage Future Wave ballast 120 to 277 - used in R+ <b>(series produced before OCT 2014)</b>
BST120/277GLR	Multi voltage Robertson ballast 120 to 277 automatic sensing for use in R MAX & R Plus
LMPHGJ105	T6 Dual Zone High Intensity 10.5" UV "J" Lamp for R MAX & R Plus
LMPHGJ105	T6 High Intensity Germicidal 10.5" UV "J" Lamp for R MAX G & R Plus-G
LMPHGJ105-1	T6 Dual Zone High Int. 10.5" UV "J" Lamp up to 4 inches OXYDATION -for smokers
CVRTUBTURB6	Turbulator for R MAX, R Plus & R4000
MSCELC13	Electronic control board for R Plus
MSCTER1	Thermistor for R Plus



### OLDER MODELS


<u>Replacement parts</u>	<u>Description</u>
BST120/240GL	120/230 volt Ballast for R1500 & R3500 -- REGULAR INTENSITY
BST120/277GL	Ballast Replaces BST120/240GL20 120/230 volt with LED's, R1700 & R4000 & APR -- HIGH INTENSITY
LMPHGJ105	T6 Dual Zone High Intensity 10.5" UV "J" Lamp for R4000-GX
LMPHGJ105	T6 High Intensity Germicidal 10.5" UV "J" Lamp for R4000-G
LMPRGJ105	T6 Dual Zone 10.5" UV "J" Lamp for R3500-GX
LMPRGJ105	T6 Germicidal (UVC) 10.5" UV "J" Lamp for R3500-G
LMPRGJ65	T6 Dual Zone 6.5" UV "J" Lamp for R1500-GX
LMPRGJ65	T6 Germicidal (UVC) 6.5" UV "J" Lamp for R1500-G
LMPHGJ65	T6 Dual Zone High Intensity 6.5" UV "J" Lamp for R1700-GX
LMPHGJ65	T6 High Intensity Germicidal 6.5" UV "J" Lamp for R1700-G
LMPHGJ160	T6 High Intensity Germicidal 16" UV "J" Lamp for C2000
LMPHGJ160	T6 Dual Zone High Intensity 16" UV "J" Lamp for C2000
MSCSWC4	On-Off Switch for R1700 & R4000
MSCSWC7	Vacuum switch for R4000
MSCSWC6	Vacuum switch for R3500 & C2000
MSCFUS3	Fuse holder for R3500-C2000---Please ADD MSCFUS2 included in price
MSCSWC1	Push button test switch for R3500-C2000 GREEN BUTTON
MSCLHT1	"Purifier ON" neon lamp & lamp assembly for R3500-C2000 RED BUTTON
MSCSWC2	"Power ON" neon lamp & lamp assembly for R3500- C2000 AMBER BUTTON
CVRTUBTURB5	Turbulator for R1500 & R3500
MSCCON1	WHITE Gaynor plug for UV lamp



Fax : 1-888-582-6475

Phone: 1-888-726-8869

## RESIDENTIAL AIR PURIFIER



<u>Model</u>	<u>Description</u>
HRV8-GX	UV air purifier for heat recovery ventilation unit <b>8"diam X 12" long</b> - residential app. 120/230 volt
HRV10-GX	UV air purifier for heat recovery ventilation unit <b>10"diam X 12"long</b> - residential app.120/230 volt
HRV12-GX	UV air purifier for heat recovery system <b>12"diam X 18"long</b> - COMMERCIAL app. 120/230 volt
<u>Replacement parts</u>	<u>Description</u>
BST120/240 GL20	120/230 volt Ballast for <b>HRV6 &amp; HRV8 &amp; HRV10</b>
BST120W5	120 volt ballast for <b>HRV12</b>
LMPHGXJ65	T6 Dual Zone 6.5" UV "J" Lamp for <b>HRV6-GX</b>
LMPHGJ65	T6 Germicidal (UVC) 6.5" UV "J" Lamp for <b>HRV6-G</b>
LMPHGXJ105	T6 Dual Zone 10.5" UV "J" Lamp for <b>HRV8-GX &amp; HRV10-GX</b>
LMPHGJ105	T6 Germicidal (UVC) 10.5" UV "J" Lamp for <b>HRV8-G &amp; HRV10-G</b>
LMPHGXJ160	T6 Dual Zone 16" UV "J" Lamp for <b>HRV12-GX</b>
LMPHGJ160	T6 Germicidal (UVC) 16" UV "J" Lamp for <b>HRV12-G</b>
MSCCON1	<b>WHITE</b> Gaynor plug for UV lamp

## STAND ALONE AIR PURIFIER



<u>Model</u>	<u>Description</u>
P900-GX	Portable UV air purifier Residential and light commercial <b>up to 900 square feet</b> 120 volt
P900-XSP	Portable UV air purifier for garbage room <b>ONLY ---- ALL UVV LAMP ----</b>
<u>Replacement parts</u>	<u>Description</u>
BST120/240GL	120/230 volt Ballast for <b>P900</b>
LMPRGXJ65	T6 Dual Zone 6.5" UV "J" Lamp for <b>P900-GX</b>
LMPRGJ65	T6 Germicidal (UVC) 6.5" UV "J" Lamp for <b>P900-G</b>
LMPRGXJ65-3	T6 Dual Zone 6.5" UV "J" Lamp - up to 3 inches OXYDATION --- <b>SPECIAL JOBS ---</b>
MSCFTR7	Metal inlet filter for <b>P900</b>
MSCFTR8	Inlet Grill for <b>P900</b>
MSCMTR8	Motor assembly for <b>P900</b>
MSCCON1	<b>WHITE</b> Gaynor plug for UV lamp

Fax : 1-888-582-6475

Phone: 1-888-726-8869

## STAND ALONE / DUCTED AIR PURIFIER



<u>Model</u>	<u>Description</u>
<b>S300FX-GX</b>	HEPA/UV air purifier 220/300 cfm residential & commercial 120 volt
<b>S300FX-GX4</b>	UV air purifier for <b>LOCKER ROOMS</b> - UVV adjustable up to 4 inches - includes inlet/outlet louvers
<b>S300FX-GX MD2</b>	HEPA/UV air purifier 220/300cfm - Strong aluminum frame with casters- top access for cleaning
<u>Replacement parts</u>	<u>Description</u>
<b>BST120/277GL</b>	Multi voltage ballast 120 to 277 for <b>S300 series</b>
<b>LMPHGJ105</b>	T6 Dual Zone High Intensity 10.5" UV "J" Lamp for <b>S300FX-GX</b>
<b>LMPHGJ105</b>	T6 High Intensity Germicidal 10.5" UV "J" Lamp for <b>S300FX-G</b>
<b>LMPHGJ105-1</b>	T6 Dual Zone High Int. 10.5" UV "J" Lamp up to 4 inches OXYDATION -SPECIAL JOBS for <b>S300FXGX4</b>
<b>SUBKITCROS300</b>	<b>CLEAN ROOM OPTION:</b> 1 additional lamp LMPHGJ105 + 1 additional ballast BST120/277GLR
<b>SUBKITVOCS300</b>	<b>SMOKING ROOM OPTION:</b> 1 additional lamp LMPHXJ105 <b>plus</b> 1 additional ballast BST120/277GLR <b>plus</b> 1 VOC monitor (20ft wiring) <b>FACTORY INSTALLED</b>
<b>SUBKITOZDS300</b>	<b>GARBAGE ROOM OPTION:</b> 1 additional lamp LMPHXJ105 <b>plus</b> 1 additional ballast BST120/277GLR <b>plus</b> 1 OZD monitor (20ft wiring) <b>FACTORY INSTALLED</b>
<b>MSCFTR11</b>	HEPA filter 99.97% for <b>S300FX</b>
<b>MSCFTR10</b>	Pre-filter MERV8a for <b>S300FX</b>
<b>MSCMTR11</b>	Motor for <b>S300FX 120 volt - Must be ordered with MSCCAP1 Capacitor --- 230v motor MSCMTR7</b>
<b>MSCCAP1</b>	Capacitor for S300FX-GX 120 volt motor --- Capacitor for 230v motor <b>MSCCAP3</b>
<b>MSCCOL1</b>	Collar inlet/outlet 8" round for <b>S300FX</b> Sold <b>INDIVIDUALLY</b>
<b>MSCLOU1</b>	Louver inlet/outlet for <b>S300FX</b> Sold <b>INDIVIDUALLY</b>



<u>Model</u>	<u>Description</u>
<b>S1000FX-G</b>	Stand alone or Ducted combination filter & <b>UVC</b> air purifier 20"x20"x40" Aluminum casing 1,000cfm
<b>S1000FX-GX</b>	Stand alone or Ducted combination filter & <b>UVV UVV</b> air purifier 20"x20"x40" Aluminum casing 1,000cfm
<u>Replacement parts</u>	<u>Description</u>
<b>BST120W5</b>	Electronic ballast <b>120 volt</b> for <b>S1000FX -- 230 volts BST230W5</b>
<b>BST120/277SHS</b>	120/240 multivoltage ballast for <b>options</b>
<b>LMPHGJ160</b>	T6 Dual Zone High intensity 16" UVC/UVV "J" lamp for <b>S1000FX-GX</b>
<b>LMPHGJ160</b>	T6 High Intensity Germicidal UVC 16" UV "J" lamp for <b>S1000FX-G</b>
<b>LMPHSPJ160</b>	T6 Dual Zone High intensity 16" UVC/UVV "J" lamp-4 inches OXYDATION -SPECIAL JOBS for <b>S1000FX</b>
<b>MSCSWC12</b>	Speed control for <b>S1000FX 120 volt</b>
<b>SUBKITCROS1000</b>	<b>CLEAN ROOM OPTION:</b> 1 additionnal ballast BST120W5 <b>plus</b> 1 additionnal lamp LMPHGJ160 UV-C <b>plus</b> replace filter with 1 HEPA 99,97%
<b>SUBKITVOCS1000</b>	<b>SMOKING ROOM OPTION:</b> 1 additionnal ballast BST120/277SHS <b>plus</b> 1 additionnal all UVV lamp LMPHXJ160 <b>plus</b> 1 VOC sensor (20ft wiring) <b>FACTORY INSTALLED</b>
<b>SUBKITOZDS1000</b>	<b>GARBAGE ROOM OPTION:</b> 1 additionnal ballast BST120/277SHS <b>plus</b> 1 additionnal all UVV lamp LMPHX160 <b>plus</b> 1 OZD sensor (20ft wiring) <b>FACTORY INSTALLED</b>
<b>MSCFTR12</b>	20"x20"X4" HEPA 99,97% <b>filter</b>
<b>MSCFTR1</b>	20"x20"X4" 95% <b>filter</b>
<b>MSCFTR2</b>	20"X20"x1" <b>filter</b>
<b>MSCMTR9</b>	Motor assembly <b>120v</b> for <b>S1000FX. must be ordered with Capacitor --- Motor 230 v - MSCMTR10</b>
<b>MSCCAP4</b>	Capacitor for S1000FX -120 v <b>motor --- Capacitor for 230v motor MSCCAP5</b>

Fax : 1-888-582-6475

Phone: 1-888-726-8869

## COMMERCIAL UV AIR PURIFIER



<u>Model</u>	<u>Description</u>
<b>SANUVAIR500GX</b>	Ceiling T-Bar UV air purifier fits a 2' x 2' ceiling tile. Applications <b>up to 500 sq. ft.</b> 120/230 volt
<u>Replacement parts</u>	<u>Description</u>
<b>BST120/240GL</b>	120/230 volt Ballast for <b>MB500 or Sanuvair500</b>
<b>LMPRGXJ65</b>	T6 Dual Zone 6.5" UV "J" Lamp for <b>MB500-GX or Sanuvair500-GX</b>
<b>LMPRGJ65</b>	T6 Germicidal (UVC) 6.5" UV "J" Lamp for <b>MB500-G or Sanuvair500-G</b>
<b>MSCMTR1</b>	Pancake fan for <b>MB500 or Sanuvair500</b>
<b>MSCFTR5</b>	Polypropylene Filter (inlet & outlet) for <b>MB500 or Sanuvair500</b>
<b>MSCSWC10</b>	Micro switch for <b>MB500 or Sanuvair500</b>
<b>MSCCON1</b>	<b>WHITE</b> Gaynor plug for UV lamp




<u>Model</u>	<u>Description</u>
<b>QUATTRO-GX</b>	In-duct UV air purifier consist in of 3 - 18" T6 high intensity Germicidal UVC lamps and 1 - 18" T6 high intensity dual zone UV lamp mounted on 4 aluminum parabolic reflectors 120/277 volt.
<b>QUATTRO-G</b>	<b>GERMICIDAL ONLY:</b> In-duct UV air purifier consist in of 4 - 18" T6 high intensity UV Germicidal lamps mounted on 4 aluminum parabolic reflectors 120/277 volt.
<b>QUATTRO-GX4</b>	<b>FOR ODOR PROBLEMS:</b> In-duct UV air purifier consist in of 4 - 18" T6 high intensity UVC/UVV Germicidal and Oxidation lamps mounted on 4 aluminum parabolic reflectors 120/277 volt.
<u>Replacement parts</u>	<u>Description</u>
<b>BST120/277GL</b>	Multi voltage ballast 120 to 277 for <b>QUATTRO</b>
<b>BST120/240GL20</b>	<b>WHITE CASING BALLAST</b> 120/230 volt with LED's for <b>QUATTRO BEFORE AUGUST 2011</b>
<b>LMPHGS180</b>	T6 HI germicidal UVC 18" straight lamp - 4 needed for <b>QUATTRO-G</b> , 3 needed for <b>QUATTRO-GX</b>
<b>LMPHGX180</b>	T6 HI dual zone UVC 18" straight lamp - 1 needed for <b>QUATTRO-GX</b> , 4 needed for <b>QUATTRO-GX4</b>
<b>MSC7</b>	Bio-Film Aluminum Foil for <b>Quattro</b> Installation 2ft x 6 ft
<b>MSCBRK3</b>	Circuit breaker 5 Amp
<b>MSCSWC7</b>	Vacuum switch for <b>QUATTRO</b>
<b>MSCSWC4</b>	On-Off Switch for <b>QUATTRO</b>
<b>MSCCON1</b>	<b>WHITE</b> Gaynor plug for UV lamp

Fax : 1-888-582-6475

Phone: 1-888-726-8869

## COMMERCIAL UV AIR PURIFIER

<u>Model</u>	<u>Description</u>
 BIOM24G or BIOM24GX	<b>Biowall MAX</b> In-duct UV air purifier : <b>5 X 24"</b> high intensity UV lamps mounted on 5 aluminum parabolic reflectors, linked with 10ft of LIQUIDTIGHT to a multivoltage ballast box 120/240V with BMS dry contacts.
BIOM30G or BIOM30GX	<b>Biowall MAX</b> In-duct UV air purifier : <b>5 X 30"</b> high intensity UV lamps mounted on 5 aluminum parabolic reflectors, linked with 10ft of LIQUIDTIGHT to a multivoltage ballast box 120/240V with BMS dry contacts.
BIOM40G or BIOM40GX	<b>Biowall MAX</b> In-duct UV air purifier : <b>5 X 40"</b> high intensity UV lamps mounted on 5 aluminum parabolic reflectors, linked with 10ft of LIQUIDTIGHT to a multivoltage ballast box 120/240V with dry BMS contacts.
BIOM50G or BIOM50GX	<b>Biowall MAX</b> In-duct UV air purifier : <b>5 X 50"</b> high intensity UV lamps mounted on 5 aluminum parabolic reflectors, linked with 10ft of LIQUIDTIGHT to a multivoltage ballast box 120/240V with BMS dry contacts.
BIOM60G or BIOM60GX	<b>Biowall MAX</b> In-duct UV air purifier : <b>5 X 60"</b> high intensity UV lamps mounted on 5 aluminum parabolic reflectors, linked with 10ft of LIQUIDTIGHT to a multivoltage ballast box 120/240V with BMS dry contacts.
BIOSCREEN (optional)	<b>Bio MAX Smart Screen</b> : tactile screen displaying hours and lamps status, lamp model number and reset counter button. Unit comes with a 20' standard Ethernet cable

<u>Replacement parts</u>	<u>Description</u>
BST120/277SHS	120/240 multivoltage ballast for <b>BIOWALL MAX</b> serie
BST120W5	120 volt ballast for BIO30 ( <b>older BioWall</b> ) -- 230v ballast <b>BST230W5</b>
BST120W7	120 volt ballast for ( <b>older BioWall</b> ) BIO40, BIO50, BIO60 -- 230v ballast <b>BST230W7</b>
LMPHGS240	T6 High Intensity (UVC) 24" Straight lamp <b>BIO24G &amp; BIOM24G</b> (4 out of 5 <b>BIO24GX &amp; BIOM24GX</b> )
LMPHGS300	T6 High Intensity (UVC) 30" Straight lamp <b>BIO24G &amp; BIOM24G</b> (4 out of 5 <b>BIO24GX &amp; BIOM24GX</b> )
LMPHGS400	T6 High Intensity (UVC) 40" Straight lamp <b>BIO24G &amp; BIOM24G</b> (4 out of 5 <b>BIO24GX &amp; BIOM24GX</b> )
LMPHGS500	T6 High Intensity (UVC) 50" Straight lamp <b>BIO24G &amp; BIOM24G</b> (4 out of 5 <b>BIO24GX &amp; BIOM24GX</b> )
LMPHGS600	T6 High Intensity (UVC) 60" Straight lamp <b>BIO24G &amp; BIOM24G</b> (4 out of 5 <b>BIO24GX &amp; BIOM24GX</b> )
LMPHGXS240	T6 H-Intensity Dual Zone 24" Straight lamp (22"-UVC / 2"-UVV) <b>BIO24GX &amp; BIOM24GX</b> 1 out of 5
LMPHGXS300	T6 H-Intensity Dual Zone 30" Straight lamp (26"-UVC / 4"-UVV) <b>BIO30GX &amp; BIOM30GX</b> 1 out of 5
LMPHGXS400	T6 H-Intensity Dual Zone 40" Straight lamp (36"-UVC / 4"-UVV) <b>BIO40GX &amp; BIOM40GX</b> 1 out of 5
LMPHGXS500	T6 H-Intensity Dual Zone 50" Straight lamp (46"-UVC / 4"-UVV) <b>BIO50GX &amp; BIOM50GX</b> 1 out of 5
LMPHGXS600	T6 H-Intensity Dual Zone 60" Straight lamp (56"-UVC / 4"-UVV) <b>BIO60GX &amp; BIOM60GX</b> 1 out of 5
MSCECL11	<b>OLDER</b> BioWall circuit board with dry contacts and hour meter
MSC6	Aluminum roll for lining duct roll of <b>150 feet</b>
MSCALU30	Aluminum roll for lining duct roll of <b>30 feet</b>
MSC9	Flange for <b>all BIO</b> aluminum support tube-. Please add <b>MSCCON19</b> for each <b>MSC9</b> free on your order
MSCSWC14	Interlock switch for access door max 10 amp.
TUBAA66	Aluminum mounting tube 66 inches in length
MSCCON40	<b>YELLOW</b> Gaynor plug for BioWall lamp
MSCCON41	<b>BLUE</b> Gaynor plug for BioWall lamp (when replacing white gaynor)

Fax : 1-888-582-6475

Phone: 1-888-726-8869

## COIL "OBJECT" PURIFIER



<u>Model</u>	<u>Description</u>
IL12-G	<b>IN LINE</b> COIL CLEAN-Lamp length <b>12"</b> -single or double multivoltage ballast box - BMS dry contacts
IL18-G	<b>IN LINE</b> COIL CLEAN-Lamp length <b>18"</b> -single or double multivoltage ballast box - BMS dry contacts
IL24-G	<b>IN LINE</b> COIL CLEAN-Lamp length <b>24"</b> -single or double multivoltage ballast box - BMS dry contacts
IL30-G	<b>IN LINE</b> COIL CLEAN-Lamp length <b>30"</b> -single or double multivoltage ballast box - BMS dry contacts
IL40-G	<b>IN LINE</b> COIL CLEAN-Lamp length <b>40"</b> -single or double multivoltage ballast box - BMS dry contacts
IL50-G	<b>IN LINE</b> COIL CLEAN-Lamp length <b>50"</b> -single or double multivoltage ballast box - BMS dry contacts
IL60-G	<b>IN LINE</b> COIL CLEAN-Lamp length <b>60"</b> -single or double multivoltage ballast box -BMS dry contacts

<u>Replacement parts</u>	<u>Description</u>
<b>BST120/277SHS</b>	120/240 multivoltage ballast for <b>IL serie</b>
<b>BST120W5</b>	120 volt ballast for <b>OLDER IL18, IL24, IL30</b> - 230v ballast <b>BST230W5</b>
<b>BST120W7</b>	120 volt ballast for <b>OLDER IL40, IL50, IL60</b> - 230v ballast <b>BST230W7</b>
<b>MSC9</b>	Flange for <b>all IL</b> aluminum support tube-Please add <b>MSCCON19</b> for each <b>MSC9</b> free on your order
<b>TUBAA66</b>	Aluminum mounting tube 66 inches in length
<b>TUBA8</b>	Aluminum coupler tube with screw
<b>MSCELC17</b>	Electronic module for <b>IL</b> , LED indicator lamp status
<b>MSCELC18</b>	Power supply 5 volt ( inside IL ballast box)
<b>MSCSWC14</b>	Interlock switch for access door maximum 10 amp.
<b>LMPHGS120</b>	T6 High Intensity Germicidal (UVC) <b>12"</b> Straight lamp for <b>IL12</b>
<b>LMPHGS180</b>	T6 High Intensity Germicidal (UVC) <b>18"</b> Straight lamp for <b>IL18</b>
<b>LMPHGS240</b>	T6 High Intensity Germicidal (UVC) <b>24"</b> Straight lamp for <b>IL24</b>
<b>LMPHGS300</b>	T6 High Intensity Germicidal (UVC) <b>30"</b> Straight lamp for <b>IL30</b>
<b>LMPHGS400</b>	T6 High Intensity Germicidal (UVC) <b>40"</b> Straight lamp for <b>IL40</b>
<b>LMPHGS500</b>	T6 High Intensity Germicidal (UVC) <b>50"</b> Straight lamp for <b>IL50</b>
<b>LMPHGS600</b>	T6 High Intensity Germicidal (UVC) <b>60"</b> Straight lamp for <b>IL60</b>
<b>MSCCON40</b>	<b>YELLOW</b> Gaynor plug for IL lamp
<b>MSCCON41</b>	<b>BLUE</b> Gaynor plug for IL lamp (when replacing white gaynor)



<u>Model</u>	<u>Description</u>
RT24/220-G	RT Unit. 24" lamp with NEMA 4 box - <b>please specify 120 v or 240 v</b>
RT30/220-G	RT Unit. 30" lamp with NEMA 4 box - <b>please specify 120 v or 240 v</b>
RT40/220-G	RT Unit. 40" lamp with NEMA 4 box - <b>please specify 120 v or 240 v</b>

<u>Replacement parts</u>	<u>Description</u>
<b>BST120W5</b>	120 volt ballast for <b>RT24, RT30</b> -- 230v ballast <b>BST230W5</b>
<b>BST120W7</b>	120 volt ballast for <b>RT40</b> -- 230v ballast <b>BST230W7</b>
<b>LMPHGS240</b>	T6 High Intensity Germicidal (UVC) 24" Straight lamp for <b>RT24</b>
<b>LMPHGS300</b>	T6 High Intensity Germicidal (UVC) 30" Straight lamp for <b>RT30</b>
<b>LMPHGS400</b>	T6 High Intensity Germicidal (UVC) 40" Straight lamp for <b>RT40</b>
<b>MSCCON41</b>	<b>BLUE</b> Gaynor plug for RT lamp



Fax : 1-888-582-6475

Phone: 1-888-726-8869

## COMMERCIAL ODOUR CONTROL UV FIXTURES -



<u>Model</u>	<u>Description</u>
<b>MULTI18-GX</b>	<b>18"Multi-split</b> UVC/UVV lamp-parabolic reflector w/single or double ballast box- <b>specify UVV lenght</b>
<b>MULTI24-GX</b>	<b>24"Multi-split</b> UVC/UVV lamp-parabolic reflector w/single or double ballast box- <b>specify UVV lenght</b>
<b>MULTI30-GX</b>	<b>30"Multi-split</b> UVC/UVV lamp-parabolic reflector w/single or double ballast box- <b>specify UVV lenght</b>
<b>MULTI40-GX</b>	<b>40"Multi-split</b> UVC/UVV lamp-parabolic reflector w/single or double ballast box- <b>specify UVV lenght</b>
<b>MULTI50-GX</b>	<b>50"Multi-split</b> UVC/UVV lamp-parabolic reflector w/single or double ballast box- <b>specify UVV lenght</b>
<b>MULTI60-GX</b>	<b>60"Multi-split</b> UVC/UVV lamp-parabolic reflector w/single or double ballast box- <b>specify UVV lenght</b>
<u>Replacement parts</u>	<u>Description</u>
<b>BST120W5</b>	120 volt ballast for <b>MULTI18-GX, MULTI24-GX, MULTI30-GX</b> -- 230v ballast <b>BST230W5</b>
<b>BST120W7</b>	120 volt ballast for <b>MULTI40-GX, MULTI50-GX, MULTI60-GX</b> -- 230v ballast <b>BST230W7</b>
<b>MSC9</b>	Flange for <b>all IL</b> aluminum support tube. Please add <b>MSCCON19</b> for each <b>MSC9</b> free on your order
<b>TUBAA66</b>	Aluminum mounting tube 66 inches in length
<b>TUBA8</b>	Aluminum coupler tube with screw
<b>MSCELC17</b>	Electronic module for <b>IL</b> , LED indicator lamp status
<b>MSCELC18</b>	Power supply 5 volt ( inside IL ballast box)
<b>MSCSWC14</b>	Interlock switch for access door maximum 10 amp.
<b>LMPMGXS180</b>	T6 High Intensity Multi-split 18" Straight UV Lamp for <b>MULTI18-GX</b>
<b>LMPMGXS240</b>	T6 High Intensity Multi-split 24" Straight UV Lamp for <b>MULTI24-GX</b>
<b>LMPMGXS300</b>	T6 High Intensity Multi-split 30" Straight UV Lamp for <b>MULTI30-GX</b>
<b>LMPMGXS400</b>	T6 High Intensity Multi-split 40" Straight UV Lamp for <b>MULTI40-GX</b>
<b>LMPMGXS500</b>	T6 High Intensity Multi-split 50" Straight UV Lamp for <b>MULTI50-GX</b>
<b>LMPMGXS600</b>	T6 High Intensity Multi-split 60" Straight UV Lamp for <b>MULTI60-GX</b>
<b>MSCCON40</b>	<b>YELLOW</b> Gaynor plug for IL lamp
<b>MSCCON41</b>	<b>BLUE</b> Gaynor plug for IL lamp (when replacing white gaynor)

## BAR COIL "OBJECT" PURIFIER



<u>Model</u>	<u>Description</u>
<b>BD18-GX</b>	COMBINATION AIR/OBJECT PURIFIER for <b>BARD wall mount</b> 230 volt. <b>Single lamp unit</b>
<b>BD30-GX</b>	COMBINATION AIR/OBJECT PURIFIER for <b>BARD wall mount</b> 230 volt. <b>Dual lamp unit</b>
<u>Replacement parts</u>	<u>Description</u>
<b>BST220/240EL2</b>	230 Volt Electronic Ballast for <b>B30</b>
<b>MSCSWC10</b>	Micro Switch for <b>BD30</b>
<b>LMPHGS180</b>	T6 High Intensity Germicidal (UVC) 18" Straight UV Lamp for <b>BD18</b>
<b>LMPHGS180</b>	T6 High Intensity Dual Zone ( 1/2"-UVV) Straight UV Lamp for <b>BD18</b> (1 out of two lamp on the unit)
<b>LMPHGS300</b>	T6 High Intensity Germicidal (UVC) 30" Straight UV Lamp for <b>BD30</b>
<b>LMPHGS300</b>	T6 High Intensity Dual Zone (1/2"-UVV) 30" Straight UV Lamp for <b>BD30</b> (1 out of two lamp on the unit)
<b>MSCCON41</b>	<b>BLUE</b> Gaynor plug for IL lamp